



11 - 470 mm

**BERA**  Pedestals HiLo Fix

Decking & Paving Support

**BERA**<sup>®</sup>

## INTRODUCTION

BERA® Pedestals HiLo Fix have been designed by and for professionals in creation of gardens and terraces. They are made of 100% recycled and re-enforced polypropylene, eliminating the need for bedding sand and/or of brick or other methods for installation of raised ceramic pavers or wooden/composite decking. Easy drainage of water and installation of electric systems under the void space ensures extended life-span of the decking material and pavers and high quality finish of the terrace. Damaged ceramic tiles can easily be replaced without any difficulties.

The large surface of each and every pedestal of more than 300 cm<sup>2</sup> ensures compliance with French and other International Standards whilst protecting the roof-decking against puncture. The pedestals are extremely stable in vertical and horizontal directions and are available from 11 till 470mm. Exactly adjustable in height using fast-turning ring reduces the installation cost to a minimum.

BERA® Pedestals HiLo Fix come with accessories including a slope corrector which can be placed at the bottom of the pedestal to enable compensation up to 7%. Compensation discs either hard or soft are available for reducing sound transmission.

BERA ensures consistent limited environmental by these recyclable and durable supports, assembled in Europe by our disabled staff under best working conditions and under ISO9001 QAS.



Decking pedestal



Paving pedestal



Large ground plate



Shim 1 mm



Adjustable shim 1 mm








Slope corrector 0-7%









Extender (model 270-470 mm)

# ASSORTMENT

## For wooden and composite WPO decking

Pictures	Product ID	Description	Art. Code	EAN Code	QTY / box
	3500001	Decking Pedestal 11-15 mm	PDB01	4260422230393	52
	3500002	Decking Pedestal 15-19 mm	PDB02	4260422230409	52
	3500003	Decking Pedestal 19-27 mm	PDB03	4260422230416	52
	3500004	Decking Pedestal 27-40 mm	PDB04	4260422230270	52
	3500010	Decking Pedestal 40-70 mm	PDP01	4260422230782	52
	3500011	Decking Pedestal 70-120 mm	PDP02	4260422230799	36
	3500012	Decking Pedestal 120-170 mm	PDP03	4260422230805	24
	3500013	Decking Pedestal 170-270 mm	PDP04	4260422230812	18
	3500014	Decking Pedestal 270-370 mm	PDP05	4260422230829	12
	3500015	Decking Pedestal 370-470 mm	PDP06	4260422230836	8
	3500020	Shim 1 mm hard	PS1911	4260422230607	50
	3500021	Shim 1 mm soft (noise reduction)	PS012	4260422231581	50
	3500023	Shim 3 mm soft (noise reduction)	PS030	4260422236548	25
	3500022	Slope Corrector 0-7%	PS0107	4260422230614	24

## For stone and ceramic pavers

Pictures	Product ID	Description	Art. Code	EAN Code	QTY / box
	3500025	Paving Pedestal 11-15 mm	PPB01	4260422230591	52
	3500026	Paving Pedestal 15-19 mm	PPB02	4260422230584	52
	3500027	Paving Pedestal 19-27 mm	PPB03	4260422230492	52
	3500028	Paving Pedestal 27-40 mm	PPB04	4260422230263	52
	3500035	Paving Pedestal 40-70 mm	PPP01	4260422230867	52
	3500036	Paving Pedestal 70-120 mm	PPP02	4260422230874	36
	3500037	Paving Pedestal 120-170 mm	PPP03	4260422230881	24
	3500038	Paving Pedestal 170-270 mm	PPP04	4260422230898	18
	3500039	Paving Pedestal 270-370 mm	PPP05	4260422230904	12
	3500040	Paving Pedestal 370-470 mm	PPP06	4260422230911	8
	3500020	Shim 1 mm hard	PS1911	4260422230607	50
	3500021	Shim 1 mm soft (noise reduction)	PS012	4260422231581	50
	3500023	Shim 3 mm soft (noise reduction)	PS030	4260422236548	25
	3500022	Slope Corrector 0-7%	PS0107	4260422230614	24

## TECHNICAL DATA

### For wooden and composite WPC decking


Product ID	Description	Art. Code	Height adjustment (mm)	Ground plate Ø mm	Surface cm2	Playload Ton	Weight kg
3500001	Decking Pedestal 11-15 mm	PDB01	11-15	200	>300	> 1	0,14
3500002	Decking Pedestal 15-19 mm	PDB02	15-19	200	>300	> 1	0,15
3500003	Decking Pedestal 19-27 mm	PDB03	19-27	200	>300	> 1	0,18
3500004	Decking Pedestal 27-40 mm	PDB04	27-40	200	>300	> 1	0,22
3500010	Decking Pedestal 40-70 mm	PDP01	40-70	200	>300	> 1	0,27
3500011	Decking Pedestal 70-120 mm	PDP02	70-120	200	>300	> 1	0,31
3500012	Decking Pedestal 120-170 mm	PDP03	120-170	200	>300	> 1	0,34
3500013	Decking Pedestal 170-270 mm	PDP04	170-270	200	>300	> 1	0,43
3500014	Decking Pedestal 270-370 mm	PDP05	270-370	200	>300	> 1	0,65
3500015	Decking Pedestal 370-470 mm	PDP06	370-470	200	>300	> 1	0,83
3500020	Shim 1 mm hard	PS1911	-	-	-	-	0,01
3500021	Shim 1 mm soft (noise reduction)	PS012	-	-	-	-	0,01
3500023	Shim 3 mm soft (noise reduction)	PS030	-	-	-	-	0,02
3500022	Slope Corrector 0-7%	PS0107	-	-	-	-	0,20

### For stone and ceramic pavers

Product ID	Description	Art. Code	Height adjustment (mm)	Ground plate Ø mm	Surface cm2	Playload Ton	Weight kg
3500025	Paving Pedestal 11-15 mm	PPB01	11-15	200	>300	> 1	0,14
3500026	Paving Pedestal 15-19 mm	PPB02	15-19	200	>300	> 1	0,15
3500027	Paving Pedestal 19-27 mm	PPB03	19-27	200	>300	> 1	0,18
3500028	Paving Pedestal 27-40 mm	PPB04	27-40	200	>300	> 1	0,22
3500035	Paving Pedestal 40-70 mm	PPP01	40-70	200	>300	> 1	0,27
3500036	Paving Pedestal 70-120 mm	PPP02	70-120	200	>300	> 1	0,31
3500037	Paving Pedestal 120-170 mm	PPP03	120-170	200	>300	> 1	0,34
3500038	Paving Pedestal 170-270 mm	PPP04	170-270	200	>300	> 1	0,43
3500039	Paving Pedestal 270-370 mm	PPP05	270-370	200	>300	> 1	0,65
3500040	Paving Pedestal 370-470 mm	PPP06	370-470	200	>300	> 1	0,83
3500020	Shim 1 mm hard	PS1911	-	-	-	-	0,01
3500021	Shim 1 mm soft (noise reduction)	PS012	-	-	-	-	0,01
3500023	Shim 3 mm soft (noise reduction)	PS030	-	-	-	-	0,02
3500022	Slope Corrector 0-7%	PS0107	-	-	-	-	0,20

Standard : in compliance with DTU 51-4 & DTU 43-1 (NF P 84.204)  
Quality : Made in Europe under ISO9001  
Safety : REACH

## TESTING



## Applications

BERA® Pedestals HiLo Fix have proven records for fast and effective installation of wooden and composite decking, but also to provide a solution for the ceramic tiles terraces. Applications are typically terraces or raised floors in gardens, around swimming pools and terraces at restaurants.

With the upcoming green-roofing BERA is offering the opportunity to create integrated solutions the lounge area. Also balconies or penthouses are easily renovated using pedestals and ceramic tiles. Finally raised floors for exhibition-booth and showrooms can be created and dismantled in short period of time.

A team of experts at BERA Sales Office is available to assist in your specific project requirements. Hands-on and fast support to architect and contractor exceeding the owners expectations.

## PROJECTS





**B**ERA® is the trademark of BERA B.V. of The Netherlands, a company which develops stabilization systems, eco systems and prestigious outdoor living concepts.

With the company's historical roots & wealth of know-how in landscaping and architectural fields, they create innovative and environmentally sustainable solutions, supplied throughout Europe, the Middle-East, South Africa and S-E Asia regions.

**Contact:**

BERA B.V. (The Netherlands)

T: +31 (0) 33 257 0302

E: [info@bera-bv.com](mailto:info@bera-bv.com)

BERA B.V. (Germany)

T: +49 (0) 30 78 71 68 85

E: [kontakt@bera-bv.com](mailto:kontakt@bera-bv.com)

BERA Sarl (France)

T: +33 (0) 9 81 12 76 58

E: [info@bera-sarl.fr](mailto:info@bera-sarl.fr)

BERA (Africa) Pty Ltd

T: +27 83 449 3954

E: [franko@bera-bv.com](mailto:franko@bera-bv.com)

[www.bera-bv.com](http://www.bera-bv.com)

